
COMPOSITE TREE PLANTING
NOTES:
ENLARGEMENT PLAN
FINISH GRADE


DECIDUOUS TREE PLANTING
NOTES:
1. TOP SOIL, FRIABLE, NEITHER HEAVY CLAY NOR OF VERY LIGHT SANDY NATURE, CONSISTING OF FINE SILTY LOAMS, MAY HAVE 5% +/- 40% SAND, 35% SILT, 20% CLAY AND pH OF 6.0 TO 7.5. FREE FROM SUBSOILS, ROOTS, VEGETATION, DEBRIS, TOXIC MATERIALS, STONES OVER 50MM DIAMETER, CONTAINING FOUR PERCENT(4%) INHERBULM ORGANIC MATTER OR CLAY
2. FINE TREE PIT FILTO HAVE A 300MM CLEAR PERIMETER BETWEEN ROOTBALL AND SCARIFIED
3. ALL MEASUREMENTS ARE IN MILLIMETRES UNLESS STATED OTHERWISE.
PRUNE ONLY DEAD OR DAMAGED BRANCHES IN ACCORDANCE WITH PROPER HORTICULTURAL PRACTICES. DO NOT PRUNE LADDER.
TREE TIE MATERIAL: SHOULD BE BROAD, SMOOTH, PLIABLE AND PREFERABLY BIODEGRADABLE.
TWO 50 MM DIA. WOOD STAKES, IMMEDIATELY AFTER PLANTING. DRIVEN BESIDE AND BELOW ROOT BALL, INTO UNDISTURBED SOIL.
TRUNK RODENT PROTECTION.
PLANT TREES 100 MM HIGHER THAN FINISH GRADE.
150 MM DEPTH MULCH, 75 MM AWAY FROM AROUND PLANT TRUNK.
PROVIDE 100 MM HIGH SAUCER RIM.
CUT AND REMOVE TOP RING OF WIRE BASKET AND TOP THIRD OF BURLAP FROM ROOT BALL. REMOVE ALL TIES FROM PLANT.
TOPSOIL
COMPACTED TOPSOIL UNDER & BESIDE ROOT BALL TO PREVENT SOIL SETTLEMENT
EXISTING UNDISTURBED SOIL
FINISH GRADE


SHRUB PLANTING & MASS SHRUB PLANTING
NOTES:
FINISH GRADE


WOOD SCREEN FENCE
NOTES:
GENERAL CONDITIONS
EXECUTION

NOTES

| | | |
|---|---|---|
| | | |
| | | |
| | | |